

STANDARDS/ GUIDELINES WAYFINDING SIGNAGE MASTER PLAN VOLUME. TRANSPORTATION MALLS PROJECT Nº FC5801 - C/#7







Typography
Terminology/Symbology
Message Hierarchy
Foreign Language
Arrow Standards
Color Standards

RAPHIC STANDARDS

VOLUME. 30 TRANSPORTATION MALLS



ocument Title:

Task 3.0 - STANDARDS / GUIDELINES
Project No.: FC5801 - C / #7





VOLUME 3.0 TRANSPORTATION MALLS

1.0 GRAPHIC STANDARDS

1.1 Typography	1-01
Line Spacing	1-02
1.2 Terminology / Symbology	
• Principal Facilities	1-03
Fundamental Functions	1-04
Building Circulation	1-05
Dynamic Message Terminology	1-06
Specialty Icons - Primary Identification	1-07
1.3 Message Hierarchy	
Message Function	1-08
Message Hierarchy Example	1-09
1.4 Foreign Language	
Foreign Language	1-10
Multi Lingual Text Translations	1-11
1.5 Arrow Standards	1-12
1.6 Color Standards	

• Color Specifications 1-13

• Color Application – Primary Directional – Overhead 1-14

1.0

GRAPHIC STANDARDS

REVISION DATE


1 Updated 05/06/16

2 Updated 09/19/17

1.1 Typography - Gotham

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 0123456789@#\$%^&*():;

Gotham Book



.....

Letter Spacing Correct - Kerning at "- 33 points"

Domestic Terminal

Letter Spacing Too Wide

Domestic Terminal

Letter Spacing Too Close















<u></u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

1.1 Typography - Gotham

Line Spacing




Domestic Termina

Spanish Translation .5x

Light Spanish Translation .5x

Line Spacing Examples

Spacing Example between arrow, symbol and messages



Unrelated Line Spacing Examples











<u></u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

1.2 Terminology / Symbology

Principal Facilities

TERMINOLOGY	SYMBOL	INTERIOR APPLICATIONS
Domestic Terminal		 Is always used in conjunction with the Transportation Mall Identifies Domestic Terminal
International Terminal		 Is always used in conjunction with the Transportation Mall Identifies International Terminal
Concourse T		· Is always used in conjunction with the Transportation Mall · Identifies Concourse T
Concourse A		Is always used in conjunction with the Transportation Mall Identifies Concourse A
Concourse B		 Is always used in conjunction with the Transportation Mall Identifies Concourse B
Concourse C		· Is always used in conjunction with the Transportation Mall · Identifies Concourse C
Concourse D		· Is always used in conjunction with the Transportation Mall · Identifies Concourse D
Concourse E		Is always used in conjunction with the Transportation Mall Identifies Concourse E
Concourse F		 Is always used in conjunction with the Transportation Mall Identifies Concourse F











<u> </u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

1.2 Terminology / Symbology

Fundamental Functions

TERMINOLOGY	SYMBOL	INTERIOR APPLICATIONS
Domestic Baggage Claim		\cdot Is always used in conjunction with the Transportation Mall
International Baggage Claim		· Is always used in conjunction with the Transportation Mall
Ground Transportation	-	· Is always used in conjunction with the Transportation Mall
Gates	-	· Is always used in conjunction with the Transportation Mall











<u> </u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

1.2 Terminology / Symbology

Building Circulation

TERMINOLOGY	SYMBOL	INTERIOR APPLICATIONS
Elevator		· Identifies elevators
Elevator to:	↑↓ <u>iii</u>	· Identifies elevators
Escalator	%	· Identifies escalators
Escalator to:		· Identifies escalators
Train to:		· Identifies trains
Stairs		· Identifies stairs
Emergency Stairs	j j	· Identifies emergency stairs











<u> </u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

1.2 Terminology / Symbology

Dynamic Message Terminology

TERMINOLOGY		
Concourses T, A, B, C, D, E, F	 	
Domestic Baggage Claim	 	
nternational Baggage Claim	 	
Ground Transportation	 	
rain to:	 	
rain/Walk to:	 	
Escalator to:	 	
elevator to:	 	

Dynamic messages shown are samples only. Owner will review / confirm all messages.














05/06/16 Updated Updated 09/19/17 1.2 Terminology / Symbology

Specialty Icons - Primary Identification

TERMINOLOGY	SYMBOL	INTERIOR APPLICATIONS
Concourse T	O V V V V V V V V V V V V V V V V V V V	· Identifies Concourse T
Concourse A		· Identifies Concourse A
Concourse B	O COUNTRY OF THE PARTY OF THE P	· Identifies Concourse B
Concourse C	S CONNECTION OF THE PROPERTY O	· Identifies Concourse C
Concourse D	O COUNTY OF THE PROPERTY OF TH	· Identifies Concourse D
Concourse E	and the second s	· Identifies Concourse E
Concourse F	COURS OF THE PROPERTY OF THE P	· Identifies Concourse F













05/06/16 Updated 09/19/17 Updated

1.3 Message Hierarchy

Message Function

	PRIMARY	SECONDARY	TERTIARY
Directional	Domestic Terminal International Terminal Concourse T Concourse A Concourse B Concourse C Concourse D Concourse E Concourse F	Baggage Claim Ground Transportation Gates	Train to: Elevator to: Walk to:
Identification	Concourse T Concourse A Concourse B Concourse C Concourse D Concourse E Concourse F	Elevators	
Information or Orientation	(Airport Directory) (MUFIDS)	(Visual Paging) (Supplemental Languages)	
Regulatory or Safety	Exit Emergency Exit Only No Smoking Authorized Personal Only Do Not Enter Be Careful. Watch Your Step. (All FAA notices and required signs)		













<u> </u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

1.3 Message Hierarchy



🗹 International Terminal Concourses 🗹 🧥 **☑** Gates

SECONDARY


Baggage Claim Directional unction **Ground Transportation** Train to: Gates (Dynamic: Domestic Baggage Claim, Ground Transportation, International Baggage Claim)

Terminal-Directional Primary Message Hierarchy Example

- 1. Correct Terminology: a. Terminal North
 - b. Terminal South
 - c. Domestic Terminal
 - d. International Terminal
- 2. Incorrect Terminology: Domestic Terminal North SCALE: NTS



Task 3.0 - STANDARDS / GUIDELINES







VOLUME 3.0 TRANSPORTATION MALLS 1.3 - Message Hierarchy

<u></u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

1.4 Foreign Language English Spanish

Primary Foreign Language Translation Application Overhead Directional Signs SCALE: NTS

Multi-Lingual Text Translation

TRANSLATION

Terminal Nacional **Domestic Terminal** International Terminal Terminal Internacional Concourse T Terminal T Concourse A Terminal A Concourse B Terminal B Concourse C Terminal C Terminal D

Terminal E

Terminal F

Fundamental Functions


ENGLISH	TRANSLATION
Domestic Baggage Claim	Reclamo de Equipaje Nacional
International Baggage Claim	Reclamo de Equipaje Internacional
Ground Transportation	Transporte Terrestre
Gates	Puertas de Embarque



Concourse E

Concourse F

Task 3.0 - STANDARDS / GUIDELINES









<u> </u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

1.4 Foreign Language

Multi-Lingual Text Translation

Building Circulation

ENGLISH	TRANSLATION
Elevator	Ascensor
Elevator to:	Ascensor a:
Escalator	Escalera Eléctrica
Escalator to:	Escalera Eléctrica a:
Train to:	Tren a:
Stairs	Escalera
Emergency Stairs	N/A












<u> </u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

1.5 Arrow Standards


These figures define the arrow orientations and size that shall be used throughout the Transportation Malls.




Up to the Left 10 oʻclock



Up and/or Straight Ahead / 12 o'clock




Up to the Right 2 o'clock




To the left 9 o'clock


Down to the Left

7 o'clock






To the Right 3 o'clock




Down to the Right 5 o'clock





Straight Arrow: Use for arrows angled at: 0°, 90°, 180°, 270°



Arrows Sizes

Arrows Orientation SCALE: NTS

SCALE: NTS

Angled Arrow: Use for arrows angled at: 45°, 135°, 225°, 315°



Task 3.0 - STANDARDS / GUIDELINES Project No.: FC5801 - C / #7

Down

6 o'clock

Issued as: Final Date: September 2017 REV. <u>A</u>: 05/06/16 REV. <u>A</u>: 09/19/17 REV. <u>A</u>: REV. <u>4</u>: _ REV. <u>6</u>: _ REV. <u>6</u>: _







<u> </u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

1.6 Color Standards

Color Specifications

This section of the document shall specify colors and applications that are to be used in the Transportation Malls

*or approved equal

COLOR APPLICATION	COLOR	PANTONE Equivalent	MATERIAL Equivalent
Concourse Identification	N/A	N/A	Satin Brushed Aluminum
Sign Panel	N/A	N/A	Satin Brushed Aluminum
Accent Panel			
- Concourse T	White	N/A	Sign Grade Transluscent Polycarbonate
- Concourse A	White	N/A	Sign Grade Transluscent Polycarbonate
- Concourse B	White	N/A	Sign Grade Transluscent Polycarbonate
- Concourse C	White	N/A	Sign Grade Transluscent Polycarbonate
- Concourse D	White	N/A	Sign Grade Transluscent Polycarbonate
- Concourse E	Yellow	Pantone 123	Sign Grade Transluscent Polycarbonate
- Concourse F	Yellow	Pantone 123	Sign Grade Transluscent Polycarbonate
Arrow	White	N/A	Sign Grade Transluscent Polycarbonate
Symbol	White	N/A	Sign Grade Transluscent Polycarbonate
Background	Black	Process Black	Sign Grade Transluscent Polycarbonate
English Text	White	N/A	Sign Grade Transluscent Polycarbonate
Translation Text	White	N/A	Sign Grade Transluscent Polycarbonate



Task 3.0 - STANDARDS / GUIDELINES









<u></u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

1.6 Color Standards

Color Applications - Primary Directional - Overhead

Sign Finishes



Message Concourse B Terminal B Gate B1-B36 Ruertas de Embarque B-B36 7

Sign Color Application

COLOR APPLICATION

Accent Bar

1	Concourses Identifications	Dimensional letters on Satin Brushed Aluminum Background
2	Arrow	White
3	Arrow panel	Black
4	Symbol	White
5	Background	Black
6	English Text	White
7	Translation Text	White

COLOR

Color Application Examples SCALE: NTS



cument litle:





White (Domestic) / Pantone 123 (International)



Sign Type Series Number
Sign Type Identification System
Sign Type Index
Sign Type Layouts

SIGN TYPES TRANSPORTATION WALLS

VOLUME. TRANSPORTATION MALLS



Task 3.0 - STANDARDS / GUIDELINES Project No.: FC5801 - C / #7

Issued as: Final REV. <u>A</u>: 05/06/16 REV. <u>A</u>: 09/19/17 REV. <u>A</u>: REV. <u>4</u>: __ REV. <u>6</u>: __ REV. <u>6</u>: __





VOLUME 3.0 TRANSPORTATION MALLS



2.0 SIGN TYPES

2.1 Sign Type Series Number	2-01
2.2 Sign Type Identification System	2-02
2.3 Sign Type Index	2-03
2.4 Sign Type Layouts	
ST-302 - Primary Directional - Ceiling Suspended (Dynamic)	2-07
ST-304 - Primary Directional - Soffit Mounted	2-08
ST-306 - Primary Directional - Soffit Mounted (Dynamic)	2-09
ST-312 - Primary Directional - Ceiling Mounted	2-10
ST-314 - Primary Directional - Wall/Soffit Mounted (Dynamic)	2-11
ST-320 - Primary Directional - Soffit Mounted	2-12
ST-322 - Primary Directional - Wall/Soffit Mounted (Dynamic)	2-13
ST-328 - Secondary Directional - Soffit Mounted	2-14
ST-342 - Primary Identification - Ceiling Mounted	2-15
ST-344 - Primary Identification - Ceiling Mounted	2-16
ST-350 - Secondary Identification - Flag Mounted	2-17
ST-352 - Secondary Identification - Wall Mounted	2-18

SIGN TYPES

<u> </u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

2.1 Sign Type Series Number

- 100 Series Terminals (Domestic / International)
 - 100 129 Primary Directional
 - 130 139 Secondary Directional
 - 140 149 Primary Identification
 - 150 159 Secondary Identification
 - 160 169 Primary Informational
 - 170 179 Secondary Informational
- 200 Series Concourses
 - 200 229 Primary Directional
 - 230 239 Secondary Directional
 - 240 249 Primary Identification
 - 250 259 Secondary Identification
 - 260 269 Primary Informational
 - 270 279 Secondary Informational
- **300 Series** Transportation Mall
 - 300 329 Primary Directional
 - 330 339 Secondary Directional
 - 340 349 Primary Identification
 - 350 359 Secondary Identification
 - 360 369 Primary Informational
 - 370 379 Secondary Informational
- 400 Series Curbsides (Domestic / International)
 - 400 429 Primary Directional
 - 430 439 Secondary Directional
 - 440 449 Primary Identification
 - 450 459 Secondary Identification
 - 460 469 Primary Informational
 - 470 479 Secondary Informational

- 500 Series Ground Transportation (Domestic / International)
 - 500 529 Primary Directional
 - 530 539 Secondary Directional
 - 540 549 Primary Identification
 - 550 559 Secondary Identification
 - 560 569 Primary Informational
 - 570 579 Secondary Informational
- **600 Series** Parking (Domestic / International)
 - 600 629 Primary Directional
 - 630 639 Secondary Directional
 - 640 649 Primary Identification
 - 650 659 Secondary Identification
 - 660 669 Primary Informational
 - 670 679 Secondary Informational
- **700 Series** Roadways (Domestic / International)
 - 700 729 Primary Directional
 - 730 739 Secondary Directional
 - 740 749 Primary Identification
 - 750 759 Secondary Identification
 - 760 769 Primary Informational
 - 770 779 Secondary Informational




2-01

S

<u> </u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

2.2 Sign Type Identification System

Sign Location Indicator













2.3 Sign Type Index






- 2 Directionals / 2 Levels of Messaging / 1 Sided

- Provides primary directional information

- Overall dimensions: 1' - 8-1/2" H x 15' - 5" W x 5" D

- For use in Domestic Concourses only: Accent Color White







- 2 Directionals / 2 Levels of Messaging / 1 Sided

- Provides primary directional information

- Overall dimensions:1' - 8-1/2" H x 15' - 5" W x 5" D


- For use in International Concourses only : Accent Color Yellow - Pantone 123

VOLUME 3.0 TRANSPORTATION MALLS

2.0 SIGN TYPES

<u> </u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

2.3 Sign Type Index





ocument litle:

Task 3.0 - STANDARDS / GUIDELINES
Project No.: FC5801 - C / #7

REV. ⚠: 05/06/16 REV. ⚠:
REV. ⚠: 09/19/17 REV. ⚠:
REV. ⚠: REV. ⚠:

Issued as: Final






VOLUME 3.0 TRANSPORTATION MALLS

2.0 SIGN TYPES


<u></u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

2.3 Sign Type Index











Document Title

Task 3.0 - STANDARDS / GUIDELINES
Project No.: FC5801 - C / #7







VOLUME 3.0 TRANSPORTATION MALLS

2.0 SIGN TYPES

<u></u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

2.3 Sign Type Index

Domestic Concourses	N/A	International Concourses
Level 2 Message Level 1 Message		Level 1 Message Level 1 Message
- Overall dimensions: 1'- 6" H x 10" W x 1" D - Provides information on Transportation Malls levels and functions	N/A	- Overall dimensions: 1'- 6" H x 10" W x 1" D - Provides information on Tansportation Malls levels and functions
N/A		
N/A N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
	N/A	N/A
	N/A	N/A
N/A N/A	N/A	N/A
	N/A	N/A
	N/A	N/A
N/A		
N/A	N/A	N/A
N/A		
N/A	N/A	N/A












2.4 Sign Type Layouts









Directional

ST-302

Primary Directional (Dynamic) Descriptions:

2 Directionals / 3 Levels of messaging / 2 sided.

2'- 5 1/2" High x 15' - 4" Wide x 7" Depth Dimensions:

Dynamic Display Bar: 4" H x 7'- 5-1/2"W x 4" D

Transportation Malls. Primary circulation cor-Location:

ridors - perpendicular to the main pedestrian

traffic flow.

Material: Seamless fabricated aluminum sign panel with

removable message and arrow panels.

1. English - Gotham Book - 4" Cap height Lettering:

2. Spanish - Gotham Book - 2" Cap height

Symbology: Refer to Section 1 - Graphics Standards

C1 • Sign Support Structure Colors:

- Seamless fabricated .125" ALUMINUM (satin brushed)

C2 • Message Panel

- .25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with BLACK VINYL overlay. LED Internally illuminated.

C3 • Messages - English - Foreign Language

- Internally illuminated (White)

C4 • Symbols

- Internally illuminated (White)

C5 • Arrow Panels

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with BLACK VINYL overlay. LED Internally illuminated.

C6 • Arrow Symbol

- Internally illuminated (White)

C7 • Accent Bars

- 125" seamless bent acrylic with top and bottom caps. LED Internally illuminated. Accent Bar colors:

Domestic Concourses - White Acrylic International Concourses - Pantone 123 (Yellow) - Locations T.B.D.: Assigned by Owner / Owner's Rep.

C8 • Mounting Support

- .080" x 3" square extruded ALUMINUM (satin brushed) tube to attach to existing building support sub-structure. Field verify.

Graphics:

Mounting: Ceiling suspended

Illumination: Internal

1. Signs with directional messages to Domestic Terminal will utilize "white" accent bar (White Acrylic) only..

2. Signs with messages for International Terminal will utilize "yellow" accent bar (Pantone 123) only.

3. Colors are not interchangeable, and cannot be substituted.

Remarks:

Dynamic display messages will vary per Owner's request.

Updated

05/06/16 2 Updated 09/19/17


15' - 4"

1 TOP VIEW

SCALE: 1/2" = 1' - 0"

PRONT VIEW


SCALE: 1/2" = 1' - 0"



Line of finished soffit--SIDE VIEW

SCALE: 1/2" = 1' - 0"

Sign Support C1 Structure Message Panel C2 Top Return Arrow Panel **C**5 Side Return **C**7 Accent Bars Domestic Concourses (White) International Concourses (Yellow) Sign Support C1 Arrow Panel -C5 Side / Bottom Return



Message - C3

Message Message Message Granish Translation Message Message --- Align bottom of sign with bottom edge of soffit.

4 SIGN FINISHES - END VIEW SCALE: 1-1/2" = 1' - 0"

SIGN FINISHES

SCALE: 1" = 1' - 0"

6 ELEVATION

SCALE: 1/2" = 1' - 0"

2 Directionals / 3 Levels of messaging / 1 sided.

2'- 1 1/2" High x 15' - 4" Wide x 5" Depth

Location: Transportation Malls. Primary circulation

corridor - perpendicular to the main pedestrian

traffic flow.

Material: Seamless fabricated aluminum sign panel with

removable message and arrow panels.

Lettering: 1. English - Gotham Book - 4" Cap height

2. Spanish - Gotham Book - 2" Cap height

Symbology: Refer to Section 1- Graphics Standards

C1 • Sign Support Structure Colors:

> - Seamless fabricated .125" ALUMINUM (satin brushed)

C2 • Message Panel

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED Internally illuminated.

C3 • Messages - English and Foreign Language

- Internally illuminated (White)

C4 • Symbols

- Internally illuminated (White)

C5 • Arrow Panels

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED

Internally illuminated.

C6 • Arrow Symbol

- Internally illuminated (White)

C7 • Accent Bars

- 125" seamless bent acrylic with top and bottom caps. LED Internally illuminated.

Accent Bar colors :

Domestic Concourses - White Acrylic International Concourses - Pantone 123 (Yellow) - Locations T.B.D.: Assigned by Owner / Owner's Rep.

Graphics: N/A

Mounting: Soffit Mounted

Illuminations: Internal

Remarks:

1. Signs with directional messages to Domestic Terminal will utilize "white" accent bar (White Acrylic) only..

2. Signs with messages for International Terminal will utilize "yellow" accent bar (Pantone 123) only.


3. Colors are not interchangeable, and cannot be substituted.

HARTSFIELD-JACKSON ATLANTA INTERNATIONAL AIRPORT Wayfinding Signage Masterplan

Document Title:

Task 3.0 - STANDARDS / GUIDELINES Project No.: FC5801 - C / #7


Issued as: Final Date: September 2017 rev. <u>1</u>: 05/06/16 REV. 👍: rev. 🔼: 09/19/17 REV. 25: REV. 🖄: REV. 📤:








2.4 Sign Type Layouts





Colors con't.:

Soffit Mount: Remarks:

- Soffit at decision point

- Maintain 8' -6" A.F.F

Dynamic display messages will vary per Owner's request.

Directional

ST-306

Primary Directional (Dynamic) Descriptions:

2 Directionals / 2 Levels of messaging / 2 sided.

2'- 4" High x 15' - 5" Wide x 5" Depth Dimensions:

Dynamic Display Bar: 4" H x 7'- 5-1/2"W x 4" D

Transportation Malls. Primary circulation Location:

corridor - perpendicular to the main pedestrian

traffic flow.

Material: Seamless fabricated aluminum sign panel with

removable message and arrow panels.

1. English - Gotham Book - 4" Cap height Lettering:

2. Spanish - Gotham Book - 2" Cap height

Symbology: Refer to Section 1- Graphics Standards

Colors: C1 • Sign Support Structure

- Seamless fabricated .125" ALUMINUM

(satin brushed)

C2 • Message Panel

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED Internally illuminated.

C3 • Messages - English and Foreign Language

- Internally illuminated (White)

C4 • Symbols

- Internally illuminated (White)

C5 • Arrow Panels

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED Internally illuminated.

C6 • Arrow Symbol

- Internally illuminated (White)

C7 • Accent Bars

- 125" seamless bent acrylic with top and bottom caps. LED Internally illuminated.

Accent Bar colors: Domestic Concourses - White Acrylic

International Concourses - Pantone 123 (Yellow) - Locations T.B.D.: Assigned by Owner / Owner's Rep.

C8 • Refer to Section 1 - Graphics Standards Concourses Identification

- .25" ALUMINUM (satin brushed) dimensional machine cut letters mounted onto .125" circular ALUMINUM (satin brushed) disc.

C9 • Reveal

- Seamless fabricated .125" ALUMINUM (satin brushed)

Graphics: N/A

Soffit Mounted Mounting: Illuminations: Internal

1. Signs with directional messages to Domestic Terminal will utilize "white" accent bar (White Acrylic) only.

2. Signs with messages for International Terminal will utilize "yellow" accent bar (Pantone 123) only.

3. Colors are not interchangeable, and cannot be substituted.

HARTSFIELD-JACKSON ATLANTA INTERNATIONAL AIRPORT Wayfinding Signage Masterplan

CONCOURSE IDENTIFICATION

5 SCALE: NTS

Document Title:

Task 3.0 - STANDARDS / GUIDELINES Project No.: FC5801 - C / #7









Sign Support

Message Panel C2

Message Panel C2

Accent Bars

Domestic Concourses (White)

International Concourses (Yellow)

Structure

Top Return

Side Return

Sign Support

Arrow Panel -

Side / Bottom

Structure


Return


C1


C1

C5

2.4 Sign Type Layouts







3 SIDE VIEW
SCALE: 1/2" = 1' - 0"

15' - 4"

C1 • Sign Support Structure - Seamless fabricated .125" ALUMINUM

(satin brushed) C2 • Message Panel

Descriptions: Primary Directional

traffic flow.

Location:

Material:

Lettering:

Symbology:

Colors:

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED Internally illuminated.

Directional

2 Directionals / 2 Levels of messaging / 1 sided.

corridor - perpendicular to the main pedestrian

Seamless fabricated aluminum sign panel with removable message and arrow panels.

1'- 8-1/2" High x 15' - 5" Wide x 5" Depth

Transportation Malls. Primary circulation

1. English - Gotham Book - 4" Cap height 2. Spanish - Gotham Book - 2" Cap height

Refer to Section 1- Graphics Standards

ST-312

C3 • Messages - English and Foreign Language - Internally illuminated (White)

C4 • Symbols

- Internally illuminated (White)

C5 • Arrow Panels

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED

Internally illuminated.

C6 • Arrow Symbol

- Electronically cut out overlay. LED Inter nally illuminated.

C7 • Accent Bars

- .125" seamless bent acrylic with top and bottom caps. LED Internally illuminated. Accent Bar colors:

Domestic Concourses - White Acrylic International Concourses - Pantone 123 (Yellow) - Locations T.B.D.: Assigned by

Graphics: N/A Mounting:


Ceiling Mounted Illuminations: Internal Remarks: Soffit Mount:


- Soffit at decision point

Owner / Owner's Rep.

- Maintain 8' - 6" A.F.F

- 1. Signs with directional messages to Domestic Terminal will utilize "white" accent bar (White Acrylic) only..
- 2. Signs with messages for International Terminal will utilize "yellow" accent bar (Pantone 123) only.
- 3. Colors are not interchangeable, and cannot be substituted.





4 SIGN FINISHES - END VIEW
SCALE: 1-1/2" = 1' - 0"

SIGN FINISHES

SCALE: 1" = 1' - 0"

6 ELEVATION
SCALE: 1/2" = 1' - 0'

HARTSFIELD-JACKSON ATLANTA INTERNATIONAL AIRPORT Wayfinding Signage Masterplan

Document Title:

Task 3.0 - STANDARDS / GUIDELINES Project No.: FC5801 - C / #7

Issued as: Final Date: September 2017 REV. A: 05/06/16 REV. 👍: rev. 🔼: 09/19/17 REV. 25: REV. 🖄: REV. 📤:






VOLUME 3.0 TRANSPORTATION MALLS


2.4 Sign Types Directional - **ST-312**

2.4 Sign Type Layouts



1 TOP VIEW

SCALE: 1/2" = 1' - 0"



3-1/2


2 FRONT VIEW

SCALE: 1/2" = 1' - 0"

5 SIGN FINISHES


SCALE: 1" = 1' - 0"


3 SIDE VIEW
SCALE: 1/2" = 1' - 0'



4 SIDE FINISHES - END VIEW

SCALE: 1-1/2" = 1' - 0"





Directional

ST-314

Descriptions: Primary Directional (Dynamic)

2 Directionals / 2 Levels of messaging / 1 sided.

1'- 10-1/2" High x 15' -5" Wide x 5" Depth

Dynamic Display Bar: 4 1/2" H x 7'- 5-1/2"W x

Location: Transportation Malls. Primary circulation

corridor - perpendicular to the main pedestrian

traffic flow.

Material: Seamless fabricated aluminum sign panel with removable message and arrow panels.

Lettering: 1. English - Gotham Book - 4" Cap height 2. Spanish - Gotham Book - 2" Cap height

Refer to Section 1- Graphics Standards Symbology:

Colors: C1 • Sign Support Structure

- Seamless fabricated .125" ALUMINUM

(satin brushed)

C2 • Message Panel

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED

Internally illuminated.

C3 • Messages - English and Foreign Language - Internally illuminated (White)

C4 • Symbols

- Internally illuminated (White)

C5 • Arrow Panels

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED

Internally illuminated.

C6 • Arrow Symbol

- Electronically cut out overlay. LED Inter nally illuminated.

C7 • Accent Bars

- .125" seamless bent acrylic with top and bottom caps. LED Internally illuminated.

Accent Bar colors:

Domestic Concourses - White Acrylic International Concourses - Pantone 123 (Yellow) - Locations T.B.D.: Assigned by

Owner / Owner's Rep.

Graphics: N/A

Mounting: Wall / Soffit Mounted

Illuminations: Internal Remarks:

Soffit Mount:

- Soffit at decision point

- Maintain 8' - 6" A.F.F Dynamic display messages will vary

per Owner's request.

1. Signs with directional messages to Domestic Terminal will utilize "white" accent bar (White Acrylic) only..

2. Signs with messages for International Terminal will utilize "yellow" accent bar (Pantone 123) only.

3. Colors are not interchangeable, and cannot be substituted.





Date: September 2017


SIGN TYPES


<u> </u>	REVISION	DATE
1	Updated	05/06/16
2	Updated	09/19/17

2.4 Sign Type Layouts













6 SIDE VIEW - SOFFIT MOUNT
SCALE: 1/2" = 1' - 0"









Directional

ST-320

Descriptions: Primary Directional

1 Directional / 3 Levels of messaging / 1 sided.

2'- 4" High x 7' - 11" Wide x 5" Deep

Location: Transportation Malls. Primary circulation

corridor - perpendicular to the main pedestrian

traffic flow.

Material: Seamless fabricated aluminum sign panel with

removable message and arrow panels.

Lettering: 1. English - Gotham Book - 4" Cap height

2. Spanish - Gotham Book - 2" Cap height

Symbology: Refer to Section 1- Graphics Standards

C1 • Sign Support Structure Colors:

- Seamless fabricated .125" ALUMINUM

(satin brushed)

C2 • Message Panel

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED

Internally illuminated.

C3 • Message

- Internally illuminated (White)

C4 • Symbols

- Internally illuminated (White)

C5 • Arrow Panels

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED

Internally illuminated.

C6 • Arrow Symbol

- Internally illuminated (White)

C7 • Accent Bars

- .125" seamless bent acrylic with top and bottom caps. LED Internally illuminated.

Accent Bar colors :

Domestic Concourses - White Acrylic International Concourses - Pantone 123 (Yellow) - Locations T.B.D.: Assigned by

Owner / Owner's Rep.

Graphics:

N/A Soffit Mounted Mounting:

Illuminations: Internal

Remarks: - Soffit Mount:


- Soffit at decision point


- Maintain 8' - 6" A.F.F

- 1. Signs with directional messages to Domestic Terminal will utilize "white" accent bar (White Acrylic) only..
- 2. Signs with messages for International Terminal will utilize "yellow" accent bar (Pantone 123) only.
- 3. Colors are not interchangeable, and cannot be substituted.



Task 3.0 - STANDARDS / GUIDELINES Project No.: FC5801 - C / #7









Notes:

- 2. Signs with messages for International Terminal will utilize "yellow"
- 3. Colors are not interchangeable, and cannot be substituted.

4 SIDE VIEW

7' - 11"

essage ... Message ... Message ... Message ... M

Align bottom of sign with bottom edge of soffit.

Message Spanish Translatio

Message

Message

SCALE: 1/2" = 1' - 0"

1. Signs with directional messages to Domestic Terminal will utilize
"white" accent bar (White Acrylic) only

accent bar (Pantone 123) only.

Descriptions:

Dimensions:

Location:

Material:

Lettering:

3" Dynamic Display Pane Line of finished soffit 3-1/2"

C1 • Sign Support Structure

(satin brushed)

C2 • Message Panel

-.25" seamless fabricated WHITE ACRYLIC Internally illuminated.

- Internally illuminated (White)

C4 • Symbols

- Internally illuminated (White)

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED

Domestic Concourses - White Acrylic InternationalConcourses - Pantone 123 (Yellow) - Locations T.B.D.: Assigned by


- .25" ALUMINUM (satin brushed) dimensional machine cut letters mounted onto .125" circular ALUMINUM (satin brushed)

C9 • Reveal

- Seamless fabricated .125" ALUMINUM

N/A

VOLUME 3.0 TRANSPORTATION MALLS



ST-322

corridor - perpendicular to the main pedestrian

2'- 4 1/4" High x 7' - 11" Wide x 5" Deep

Directional

1 Directional / 3 Levels of messaging / 1 sided.

Primary Directional (Dynamic).

traffic flow.

Seamless fabricated aluminum sign panel with

removable message and arrow panels.

1. English - Gotham Book - 4" Cap height 2. Spanish - Gotham Book - 2" Cap height

Symbology: Refer to Section 1- Graphics Standards

Colors:

- Seamless fabricated .125" ALUMINUM

(Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED

C3 • Message

C5 • Arrow Panels

Internally illuminated.

C6 • Arrow Symbol

- Internally illuminated (White)

C7 • Accent Bars

- .125" seamless bent acrylic with top and bottom caps. LED Internally illuminated. Accent Bar colors:

Owner / Owner's Rep.

C8 • Refer to Section 1 - Graphics Standards Concourses Identification


disc.

(satin brushed)

Graphics:

Wall / Soffit Mounted Mounting:

Illuminations: Internal





Sign Support

Message Panel C2

Message Panel C2

Domestic Concourses (White)

International Concourses (Yellow)

Structure

Top Return

Side Return

Sign Support

Arrow Panel -

Side / Bottom

Structure


Return


4 SIGN FINISHES - END VIEW
SCALE: 1-1/2" = 1' - 0"


C1

C1

C5







Colors con't.: Remarks:

6 ELEVATION
SCALE: 1/2" = 1' - 0

Soffit Mount:

- Soffit at decision point

- Maintain 8' - 6" A.F.F

Dynamic display messages will vary per Owner's request.

HARTSFIELD-JACKSON ATLANTA INTERNATIONAL AIRPORT Wayfinding Signage Masterplan

Document Title:

Task 3.0 - STANDARDS / GUIDELINES Project No.: FC5801 - C / #7

Issued as: Final Date: September 2017 rev. <u>1</u>: 05/06/16 REV. 4: rev. 🔼: 09/19/17 REV. 25: REV. 🖄: REV. 📤:





Directional

ST-328

Secondary Directional

1 Directionals / 2 Levels of messaging / 1 sided.

1'- 8-1/2" High x 7' - 11" Wide x 5" Depth

Transportation Malls. Primary circulation

corridor - perpendicular to the main pedestrian

Seamless fabricated aluminum sign panel with

removable message and arrow panels.

1. English - Gotham Book - 4" Cap height

2. Spanish - Gotham Book - 2" Cap height

Refer to Section 1- Graphics Standards

C1 • Sign Support Structure

- Seamless fabricated .125" ALUMINUM

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED

Internally illuminated.

- Internally illuminated (White)

- Internally illuminated (White)

-.25" seamless fabricated WHITE ACRYLIC (Transluscent Sign Grade Polycarbonate) with opaque BLACK VINYL overlay. LED

Internally illuminated.

- Internally illuminated (White)

C7 • Accent Bars

- .125" seamless bent acrylic with top and bottom caps. LED Internally illuminated.

Accent Bar colors :

Domestic Concourses - White Acrylic International Concourses - Pantone 123 (Yellow) - Locations T.B.D.: Assigned by

Owner / Owner's Rep.

Graphics: N/A

Mounting:

Soffit / Wall Mounted Illuminations: Internal

Remarks:

Soffit Mount:

- Soffit at decision point

- Maintain 8' - 6" A.F.F

- 1. Signs with directional messages to Domestic Terminal will utilize "white" accent bar (White Acrylic) only..
- 2. Signs with messages for International Terminal will utilize "yellow" accent bar (Pantone 123) only.
- 3. Colors are not interchangeable, and cannot be substituted.

HARTSFIELD-JACKSON ATLANTA INTERNATIONAL AIRPORT Wayfinding Signage Masterplan

Message-Foreign

Message Panel

Arrow Symbol

Arrow Panel

Language

Symbols

Accent Bars

Sign Support

Structure

Message -

English

Mes\$age: Spanish Translation:

1essage 1essage

Domestic Concourses (White)

International Concourses (Yellow)

C7

C1

C3

C3

C4

C2

C5

4 SIDE FINISHES - END VIEW SCALE: 1-1/2" = 1' - 0"

5 SIGN FINISHES
SCALE: NTS


Task 3.0 - STANDARDS / GUIDELINES Project No.: FC5801 - C / #7

















1 CONCOURSE IDENTIFICATION

2.4 Sign Type Layouts

TOP VIEW - SOFFIT


SCALE: 1/2" = 1' - 0"





NOTE: Spanish Translation to be the same exact length as


Message ... Message ... Me



FRONT VIEW

SIDE VIEW

SCALE: 1/2" = 1' • 0"



NOTE: Sign to be field located

END VIEW - 1 SCALE: 1/2" = 1' - 0"

7 END VIEW - 2 SCALE: 1/2" = 1' - 0"

Sign Panel

Top Return

Sign Panel

Side Returr

Mounting

Sign Support

Structure

Support

C8

C1

C1

C1

8 ELEVATION
SCALE: 1/2" = 1' - 0"

Identification

ST-342

Descriptions: Primary Identification - Ceiling Mounted

2'- 0" High x 8' - 0" Wide x 2' - 6" Depth Dimensions:

Dynamic Display Bar: 4" H x 6'- 10"W x 6" D

Transportation Malls. Primary circulation cor-Location:

ridors - perpendicular to the main pedestrian

traffic flow.

Seamless fabricated aluminum sign panel with Material:

removable message and arrow panels.

Lettering: 1. English - Gotham Book - 6" Cap height

Symbology: Refer to Section 1- Graphics Standards

Colors: C1 • Sign Support Structure

disc.

- Seamless fabricated .125" ALUMINUM (Satin Brushed)

C2 • Concourse ID Logo

- .25" ALUMINUM (Satin Brushed) dimen sional machine cut letters mounted onto .125" circular ALUMINUM (Satin Brushed)

C3 • Concourse Identification Text

- Fabricated dimensional letters. LED Inter nally illuminated.

- WHITE ACRYLIC: Transluscent Sign **Grade Polycarbonate**

C4 • Concourse ID Graphic Panel

- .25" clear acrylic with graphics on second

C5 • Reveal

- Seamless fabricated .125" ALUMINUM (Satin Brushed)

C6 • Circular Light Band

- 1" Thick x 2' - 9" Wide seamless fabricated WHITE ACRILYC (Transluscent Sign Grade Polycarbonate)

- LED Internally illuminated

C7 • Concourse ID Housing

- Seamless fabricated .125" ALUMINUM (Satin Brushed)

C8 • Mounting Support

- Seamless fabricated .125" ALUMINUM (Satin Brushed)

Graphics: N/A

Mounting: Ceiling Mounted Illuminations: Internal

Remarks: Soffit Mount:

- Soffit at decision point

- Maintain 8' - 6" A.F.F.

Dynamic messages will vary per Owner's

request.

1. Colors are not interchangeable, and cannot be substituted.

5 CONCOURT

HARTSFIELD-JACKSON ATLANTA INTERNATIONAL AIRPORT

Document Title:

Task 3.0 - STANDARDS / GUIDELINES Project No.: FC5801 - C / #7

Issued as: Final Date: September 2017 rev. <u>1</u>: 05/06/16 REV. 🐴: rev. 🔼: 09/19/17 REV. 25: REV. 🖄: REV. 📤:

Circular

C6

C7

C8

Housing

Light Band


Concourse ID


Concourse ID












2.4 Sign Type Layouts



TOP VIEW - SOFFIT



NOTE: Spanish Translation to be the same exact length as the Identification text "Concourse A". TYP


ONCOURSE F


Message ... Message ... Me 🕆

PRONT VIEW

SCALE: 1/2" = 1' - 0"

1-1/2"





Sign Panel Circular Top Return Light Band C1 International Concourses Sign Panel C6 Side Return Concourse ID C1 Housing **C7** Mounting Support Concourse ID C8 Sign Support Structure Mounting Support C1 Bottom Return C8

NOTE: Sign to be field located

7 END VIEW - 2 END VIEW - 1 SCALE: 1/2" = 1' - 0"

8 ELEVATION
SCALE: 1/2" = 1' - 0"

Identification

ST-344

Descriptions: Primary Identification - Ceiling Mounted

2'- 0" High x 8' - 0" Wide x 2' - 6" Depth Dimensions:

Dynamic Display Bar: 4" H x 6'- 10"W x 6" D

Transportation Malls. Primary circulation cor-Location:

ridors - perpendicular to the main pedestrian

traffic flow.

Seamless fabricated aluminum sign panel with Material:

removable message and arrow panels.

Lettering: 1. English - Gotham Book - 6" Cap height

Symbology: Refer to Section 1- Graphics Standards

Colors: C1 • Sign Support Structure

> - Seamless fabricated .125" ALUMINUM (Satin Brushed)

C2 • Concourse ID Logo

- .25" ALUMINUM (Satin Brushed) dimen sional machine cut letters mounted onto .125" circular ALUMINUM (Satin Brushed) disc.

C3 • Concourse Identification Text

- Fabricated dimensional letters. LED Inter nally illuminated.

- WHITE ACRYLIC: Transluscent Sign **Grade Polycarbonate**

C4 • Concourse ID Graphic Panel

- .25" clear acrylic with graphics on second

C5 • Reveal

- Seamless fabricated .125" ALUMINUM (Satin Brushed)

C6 • Circular Light Band

- 1" Thick x 2' - 9" Wide seamless fabricated WHITE ACRILYC (Transluscent Sign Grade Polycarbonate)

- LED Internally illuminated

C7 • Concourse ID Housing

- Seamless fabricated .125" ALUMINUM (Satin Brushed)

C8 • Mounting Support

- Seamless fabricated .125" ALUMINUM (Satin Brushed)

Graphics: N/A

Mounting: Ceiling Mounted

Illuminations: Internal Remarks: Soffit Mount:

- Soffit at decision point

- Maintain 8' - 6" A.F.F. Dynamic messages will vary per Owner's

request.

1. Colors are not interchangeable, and cannot be substituted.

5 CONCOURSE IDENTIFICATION SCALE: NTS

HARTSFIELD-JACKSON ATLANTA INTERNATIONAL AIRPORT Wayfinding Signage Masterplan Document Title:

Task 3.0 - STANDARDS / GUIDELINES Project No.: FC5801 - C / #7


SCALE: 1/2" = 1' - 0'


Issued as: Final Date: September 2017 rev. <u>1</u>: 05/06/16 REV. 🐴: rev. 🔼: 09/19/17 REV. 25: REV. 🖄: REV. 📤:

Prepared by:











2.3 Sign Type Layouts



TOP VIEW SCALE: 1-1/2" = 1' - 0"



Mounting

Support

Symbol

Structure

Symbol

Panel


Sign Support C1

C5

C3

C4 Accent Bar Return Domestic Concourses (White) International Concourses (Yellow)

C2



C5

C2

C4 Accent


Bar Return


Domestic Concourses (White)

International Concourses (Yellow)



TOP VIEW 6 SCALE: 1-1/2" = 1' - 0"





Location: Material:

Dimensions:

Seamless fabricated aluminum sign panel with removable symbol panels.

Transportation Malls. Primary circulation cor-

ridors - perpendicular to the main pedestrian

1'- 1-1/2" High x 1' - 3-1/2" Wide x 5" Deep

Identification ST-350

Lettering: N/A

Refer to Section 1 - Graphics Standards Symbology:

C1 • Sign Support Structure Colors:

Descriptions: Secondary Identification

traffic flow.

- Seamless fabricated .040 thick satin

brushed aluminum

C2 • Symbol Panel

- .125" thick seamless fabricated clear acrylic overlayed with opaque Black vinyl

- Internally illuminated

C3 • Symbol

- Internally illuminated (White)

C4 • Accent Bars

125" seamless bent acrylic with top and bottom caps. LED Internally illuminated.

Accent Bar colors:

Domestic Concourses - White Acrylic International Concourses - Pantone 123 (Yellow) - Locations T.B.D.: Assigned by

Owner / Owner's Rep. C5• Mounting Support

- .125" thick wall mounted channel bracket to receive sign panel, mechanically

fastened at installation.

Graphics:

N/A

Mounting: Flag Mounted Illuminations: Internal

Remarks:

1. Colors are not interchangeable, and cannot be substituted.

HARTSFIELD-JACKSON ATLANTA INTERNATIONAL AIRPORT Wayfinding Signage Masterplan

Task 3.0 - STANDARDS / GUIDELINES Project No.: FC5801 - C / #7










2.4 Sign Types Identification - **ST-350**




2.3 Sign Type Layouts

- Line of finished wall


TOP VIEW

SCALE: 1 - 1/2" = 1' - 0"




FRONT VIEW

SCALE: 1 - 1/2" = 1' - 0"



3 SIDE VIEW SCALE: 1-1/2" = 1' - 0"

Sign Panel C1 **C**3 Terminal Identification - Small Level 2 Text C2 Level 1 4essage 1essage 1essage Accent Bar C4 Message 1essage



NOTE: Sign to be field located.

6 ELEVATION - DOUBLE ELEVATORS
SCALE: 1/2" = 1' - 0"

SIGN FINISHES SCALE: 1 - 1/2" = 1' - 0" 5 ELEVATION - SINGLE ELEVATOR
SCALE: 1/2" = 1' - 0"

Task 3.0 - STANDARDS / GUIDELINES Project No.: FC5801 - C / #7

Issued as: Final Date: September 2017 REV. <u>A</u>: 05/06/16 REV. <u>A</u>: 09/19/17 REV. 👍: REV. 25: REV. 🖄: REV. 📤:



VOLUME 3.0 TRANSPORTATION MALLS

ST-360

Informational

Seamless fabricated clear acrylic laminated

1. English - Gotham Book - 1/2" Cap height

- Seamless fabricated .125" clear acrylic

- Machine cut letters applied on first sur-

with all edges and return sanded to a

smooth finish laminated with satin brushed aluminum finish.

C3 • Refer to Section 1 - Graphics Standards

High resolution digital print mounted onto .125" circular satin brushed finish

125" seamless bent acrylic with top and bottom caps. LED Internally illuminated.

Domestic Concourses - White Acrylic International Concourses - Pantone 123 (Yellow) - Locations T.B.D.: Assigned by

Refer to Section 1 - Graphics Standards

1'- 6" High x 10" Wide x 1" Deep

Transportation Malls Elevators

with satin brushed aluminum.

Descriptions: Primary Informational

C1 • Sign Panel

face Black vinyl.

aluminum. C4 • Accent Bar

Wall Mounted

- Concourse Identification

Accent Bar colors :

Owner / Owner's Rep.

C2 • Text

Dimensions:

Location:

Material:

Lettering:

Symbology:

Colors:

Graphics:

Mounting:

Remarks:

Illuminations: None

